

To: Egan, Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]; Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov)[Christopher.Saari@Wisconsin.gov]; Robinson, John H - DNR (John.Robinson@wisconsin.gov)[John.Robinson@wisconsin.gov]; Fassbender, Judy L - DNR (Judy.Fassbender@wisconsin.gov)[Judy.Fassbender@wisconsin.gov]; Kamke, Sherry[Kamke.Sherry@epa.gov]; Ken Lassa[klassa@reiengineering.com]
From: Dave Larsen
Sent: Fri 4/15/2016 1:45:00 PM
Subject: Tower Standard


Hello All, just wanting to again attempt to complete the second approved round of groundwater sampling at Tower Standard. REI would like to attempt to complete the work the week of April 25 to allow the results to be discussed in the May technical meeting. If we can't complete the work the week of the 25th, we will be shooting for the first week of April. As we get closer to the 25th, I will follow up with all parties in an attempt to confirm a date and time to complete the fieldwork.


If anyone has any issues with this schedule, please notify me at your earliest convenience.




Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist

	David N. Larsen, P.G. Hydrogeologist Dlarsen@REIengineering.com
	Tel: 877-734-7745 715-675-9784 Cell: 715-551-3434 Fax: 715-675-4060



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

